

ACUDA II


50182

SILVER

50183

BLACK

WWW.AGURI.EU



x1



50644

x1



50525




x2


LIT Pritvirtinimo instrukcijos
PL Instrukcja montażu
CZ Návod na montáž
SK Návod na montáž
SLO Navodila za pritrjevanje
HR Uputa za sastavljanje
HU A felszerelés módja
GR Οδηγίες συναρμολόγησης
UA Інструкція з монтажу
BY Інструкцыя па мантажы
RO Instructiuni de montare
TK Uydurma talimat
N Monteringsveiledning

I Istruzioni per il montaggio
GB Fitting instructions
F Instructions de montage
D Montageanleitung
E Instrucciones de montaje
NL Montage-instructies
DK Monteringsinstruktion
FIN Asennusohje
S Monteringsanvisning
RU Инструкция по установке
PT Instruções de Montagem
EST Paigaldusjuhend
LAT Stiprināšanas instrukcija


INSTALLATION







FRONT



REAR









3.







OPTION I
 $X < 112$ cm
(R)



OPTION II
 $X < 112$ cm
(L)





OPTION III
 $X > 112$ cm



max-78mm
min-32 mm


max
75 mm

CARBON



← max
20 kg

min 16"
max 29"








max 80 mm



min 75 cm
max 130 cm



3,2 kg



20 km --> CHECK



should not be modified
sollte nicht geändert werden
by neměl být modifikován
не модифицировать
ne doit pas être modifié

